

Title **Pavilion Aquatic Center** 06/14/2023

by Mark Kosbab in Member District ADA Project Request

id. 40752349

499 Biesterfield Road Elk Grove Village, Illinois

United States 8472287911

mkosbab@elkgroveparks.org

Original Submission

06/14/2023

Name	Mark Kosbab
Job Title	Director of Parks and Planning
E-mail Address	mkosbab@elkgroveparks.org
Phone Number	(847) 228-7911
Park District	Elk Grove
Project Location	Pavilion Aquatic Center
Project Status	Maintenance
Project Type	Routes and Surfaces
Routes and Surfaces- select a Project Category below:	Platforms and Lifts
Benefits of the Project	Project involves replacing 3 inoperable lift chairs within the Pavilion Aquatic Center for people with mobility issues or otherwise to have easy access in and out of the pools.
Items that will become ADA Compliant	Pool Chair Lift (3) Aqua Creek Admiral lift chair including installation
The project is designed or constructed, or applies human resources, to comply with:	The Illinois Accessibility Code The 2010 Standards for Accessible Design

EGPD_-_Chairlift_quote_6.12.23.pdf

Aquacreek_Spec_sheet_-_EGPD_6.12.23.pdf

Chair_Lift_-_Indoor_Lap_pool_1.JPG

Chair_Lift_-_Outdoor_Lap_Pool_2.JPG


Chair_Lift_-_Warm_water_Therapy_1.JPG

Budget Table for ADA Related Expenses

Budget Table.xlsx

ADA Dollars Requested	20508.75
Notes related to requested amount	n/a





♦ FLIP UP ARMREST ♦ ALL STAINLESS STEEL CONSTRUCTION ♦ DURABLE POWDER COAT FINISH ♦ RECHARGEABLE BATTERY & WALL MOUNT CHARGER **♦ FIVE YEAR STRUCTURAL WARRANTY ♦ FIVE YEAR PRO-RATED ADJUSTABLE ELECTRONICS WARRANTY FOOTREST**

CLICK HERE TO VIEW THIS PRODUCT:

HTTPS://AQUACREEKPRODUCTS.COM/ADMIRAL-POOL-LIFT/

U.S. PATENT NO. 7,249,386 B2 & D507,769 S PART NO. F-ADMRL

ADMIRAL

ARMREST

MATERIAL: 304 STAINLESS STEEL FINISH: POWDER COAT - WHITE APPROX. WEIGHT: 119.86 LBS.

9889 GARRYMORE LANE MISSOULA, MT 59808 (406) 549-0769 FAX (406) 549-2602 www.AquaCreek.com © 2020 AQUA CREEK PRODUCTS. ALL RIGHTS RESERVED.

PROPRIETY AND CONFIDENTIAL INFORMATION

THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN IS THE SOLE PROPERTY OF AQUA CREEK PRODUCTS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION FROM AQUA CREEK IS PROHIBITED.

*SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOT	CF
SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOT	

	REVISIONS		
REV.	DESCRIPTION	DATE	APPROVED
P1	INITIAL RELEASE	4/5/2021	J.MAXWELL

P1 - Wednesday, April 7, 2021 7:57:40 AM

141

FRONT OF

BASE PLATE

DIMENSIONS ARE IN INCHES

UNLESS OTHERWISE SHOWN

FRACTIONAL: ±1/16

TWO PLACE DECIMAL: ±.01 THREE PLACE DECIMAL: .. ±.005

TOLERANCES

ANGULAR: .

1:14

PRODUCT NAME: Admiral[™] Pool/Spa Access Lift CSI SECTION: 13 11 46 Swimming Pool Accessories

APPLICATIONS:

In Ground Pools & Spas with flush pool decks having up to 2-inch (5.08cm) high curbs.

SUBMITTALS:

Alternate make or model lifts will not be considered unless equal to the specified product in every
respect. Alternative products must be submitted for approval no less than ten (10) calendar days prior to
the bid due date. Submittal data must include complete documentation relating to all the specified
features and include all manufacturer's sales literature, specification sheets, installation/operation
manuals, engineered drawings and documents that support the strength, service capacity, and the ability
to meet the appropriate Federal Regulatory Standards associated with the product.

QUALITY ASSURANCE:

- The product must be a standard product of a company registered with the United States Food and Drug Administration (FDA) as a class 1 medical device manufacturer and that is regularly engaged in the manufacture of commercial grade swimming pool and spa accessibility equipment.
- The product shall be structurally capable of supporting a **450 pound (204.12kg)** load capacity and static load tested to 1.5 times the rated load.
- The product shall be certified to be compliant with UL test standard 60335-2-1000 Standard of Household and Similar Appliances: Particularly Requirements for Electrically Powered Pool Lifts.
- The product shall be tested and confirmed to comply with design standards outlined in the United States ADA Accessibility Standards for Accessible Designs.

SPECIFICATIONS:

- The products main structure shall be constructed of type 304 stainless steel; no dissimilar metallic components shall be allowed. The product shall be finished with a minimum 4-mil thick, UV resistant powder coat finish. All fastening hardware shall be of type 316 stainless steel. Product shall be supplied with a Linak Actuator suitable for medical use, a separate wall mount battery charger, a hand-held controller, and a 24-volt rechargeable battery.
- The chair of the product shall be of a rigid one-piece, polyethylene, molded design. The minimum seat width shall be **18-inches (45.72cm)** and the seat back shall be a minimum height of **17.5-inches (44.45cm)**. The seat shall feature dual flip-up arms and supplied with a 2-inch (5.08cm) wide adjustable safety belt with hook and loop fasteners.
- The seat height of the product will be adjustable from a load height of 18-1/4-inches (46.36cm) to 24-1/4-inches (61.60cm) in 2-inch (5.08cm) increments to accommodate different height wheelchairs.
- The product shall be capable of accommodating a deck to water distance (water draft) of up to 8-inches (20.32cm) and capable of an anchor set back distance of up to 19-inches (48.26cm).
- Product can be field reversible and includes an adjustable and removable footrest that moves with the seat.

WARRANTY:

• Product shall have a minimum 5 year structural and 5 year pro-rated electronic warranty.

LIFT PART NUMBERS:

Item No	Order No	Description
F-ADMRL	INV01513	Admiral Lift White Powder Coat w/Blue Seat
F-ADMRL-T	INV01757	Admiral Lift White Powder Coat w/Tan Seat
F-ADMRL-G	INV01756	Admiral Lift White Powder Coat w/Gray Seat
F-ADMRL-W	INV01755	Admiral Lift White Powder Coat w/White Seat
F-ADMRL-C	INV01907	Admiral Lift (Specify Seat and Powder Coat Colors)

ANCHORING OPTIONS:

Item No	Order No	Description
F-04CAJP	INV01411	Admiral Lift Anchor for Standard Concrete Decks
F-08CAJP	INV01414	Admiral Lift Anchor for Paver Applications
F-046QAB-AT1	INV01406	Admiral Lift Anchor for Standard Concrete Decks with Quick Attach Knobs
F-40220-AT1	INV01444	Admiral Lift Anchor for Wood Deck Applications

PRODUCT OPTIONS:

Item NoOrder NoDescriptionF-0904CVRINV01990Admiral Lift Protective Seat Cover in Blue	
F-0904CVR INV01990 Admiral Lift Protective Seat Cover in Blue	
F-120PPC INV00525 Admiral Lift Protective Lift Cover in Blue	
F-120PPC-T INV00528 Admiral Lift Protective Lift Cover in Tan	
F-120PPC-G INV00527 Admiral Lift Protective Lift Cover in Gray	
F-044SCH INV01693 Admiral Lift Solar Charger	
F-422PLH-2 INV01455 Admiral Lift Adjustable Head Rest	
F-423CS INV01457 Admiral Lift Chest Strap	
F-428HT INV01458 Admiral Lift Transport Cart	
F-LRB INV01422 Admiral Lift Pull Out Leg Rest Blue	
F-LRT INV01952 Admiral Lift Pull Out Leg Rest Tan	
F-LRG INV01954 Admiral Lift Pull Out Leg Rest Gray	
F-LRW INV01953 Admiral Lift Pull Out Leg Rest White	
F-019CA INV01379 Admiral Lift Cycle Attachment	

Aqua Creek Products LLC 9889 Garrymore Lane Missoula, MT 59808

www.aquacreekproducts.com

Tel: 888-687-3552 / 406-549-0769

Fax: 406-541-8958

9889 GARRYMORE LANE MISSOULA, MT 59808 (406) 549-0769

(406) 549-0769 FAX (406) 549-2602 www.AquaCreek.com PROPRIETY AND CONFIDENTIAL INFORMATION

THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN IS THE SOLE PROPERTY OF AQUA CREEK PRODUCTS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION FROM AQUA CREEK IS PROHIBITED.

*SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

Aqua Creek Products









SALES CONTRACT

Quote Number: Q230611002 **Quote Date:** Jun 11, 2023

Terms: Quote Valid for 30 Days

Attention: Matt Crilly

Progressive Independence

DBA 101 Mobility 2531 Technology, Ste 305

Elgin, IL 60124

Phone: (847) 551-5911 Fax: (847) 551-5913 Elk Grove Park District 1000 Wellington Ave Elk Grove Village, IL 60007

This quote is for replacing the existing older model AquaCreek pool lifts with new model AquaCreek Admiral lifts. Included in our proposal are the lifts with installation. Installation for the Admiral lifts require new core drilled anchors which is included in our proposal. Not included in our proposal is any additional saw-cut installation which requires pouring a new concrete patch with the anchors attached to a binding lug. Also included is our One(1) Year Service Warranty to cover any service related items at no additional cost for a period or one(1) year from installation. Thank you for giving 101 Mobility the opportunity to serve you.

DESCRIPTION	QTY	PRICE	TOTAL

Aqua Creek Products - F-ADMRL - Lift, Admiral, No Anchor, 450 lb Cap, White w/Blue Seat

Simple & Convenient: Push-button operation - tethered pendant can be controlled from in the pool or on the deck

Space-Saving Design: Small footprint and low profile make this an excellent fit for all pool decks

Smooth & Secure: Powerful motor effortlessly raises and lowers riders up to 450

lbs

Peace of Mind: Made In USA + stainless steel + 5-year warranty

Aqua Creek Products - F-04CAJP - Anchor Kit for Standard Concrete Apps

*3

\$433.85 \$1,735.40

Other Installation

Installed by Our Knowledgeable & Courteous Mobility Specialists

- ** Installation fee does not account for a saw-cut retro fit. A saw-cut retro fit is required if the pool lift needs to attach to new bonding lug.
- * Includes core drilling / epoxy set anchors
- * Assemble and install lift on anchors.
- * Train on how to use and care for product.

A 3

\$450.00 \$1,800.00

QUOTE TOTAL

\$27,345.00


Sales Contract: Q230611002

By signing this purchase order I agree to the terms and conditions herein. Terms are 50% deposit at time of order and balance due upon completion of delivery and installation. Cancellations prior to installation are subject to a restocking fee of 15% of the total before tax. No cancellations after initiation of installation. Any Custom applications cannot be cancelled and require a 50% non refundable deposit at time of final measurements, and the remaining 50% is to be paid prior to 101 Mobility placing the order with the manufacturer. Past due accounts, returned checks and/or declined credit cards will incur a \$39 late fee plus 2% per month.

Quote Total: \$27,345.00

We offer financing! https://app.gethearth.com/partners/101-mobility---north-chicago

6/12/2023



PRODUCT NAME: Admiral The Pool/Spa Access Lift

CSI SECTION: 13 11 46 Swimming Pool Accessories

APPLICATIONS:

In Ground Pools & Spas with flush pool decks having up to 2-inch (5.08cm) high curbs.

SUBMITTALS:

respect. Alternative products must be submitted for approval no less than ten (10) calendar days prior to manuals, engineered drawings and documents that support the strength, service capacity, and the ability the bid due date. Submittal data must include complete documentation relating to all the specified features and include all manufacturer's sales literature, specification sheets, installation/operation Alternate make or model lifts will not be considered unless equal to the specified product in every to meet the appropriate Federal Regulatory Standards associated with the product.

QUALITY ASSURANCE:

- The product must be a standard product of a company registered with the United States Food and Drug Administration (FDA) as a class 1 medical device manufacturer and that is regularly engaged in the manufacture of commercial grade swimming pool and spa accessibility equipment.
 - The product shall be structurally capable of supporting a 450 pound (204.12kg) load capacity and static load tested to 1.5 times the rated load.
- The product shall be certified to be compliant with UL test standard 60335-2-1000 Standard of Household and Similar Appliances: Particularly Requirements for Electrically Powered Pool Lifts
- The product shall be tested and confirmed to comply with design standards outlined in the United States ADA Accessibility Standards for Accessible Designs.

SPECIFICATIONS:

- powder coat finish. All fastening hardware shall be of type 316 stainless steel. Product shall be supplied components shall be allowed. The product shall be finished with a minimum 4-mil thick, UV resistant with a Linak Actuator suitable for medical use, a separate wall mount battery charger, a hand-held The products main structure shall be constructed of type 304 stainless steel; no dissimilar metallic controller, and a 24-volt rechargeable battery.
- (44.45cm). The seat shall feature dual flip-up arms and supplied with a 2-inch (5.08cm) wide adjustable The chair of the product shall be of a rigid one-piece, polyethylene, molded design. The minimum seat width shall be 18-inches (45.72cm) and the seat back shall be a minimum height of 17.5-inches safety belt with hook and loop fasteners.
- The seat height of the product will be adjustable from a load height of 18-1/4-Inches (46.36cm) to 24-1/4inches (61.60cm) in 2-inch (5.08cm) increments to accommodate different height wheelchairs.
 - The product shall be capable of accommodating a deck to water distance (water draft) of up to 8-inches (20.32cm) and capable of an anchor set back distance of up to 19-inches (48.26cm)
 - Product can be field reversible and includes an adjustable and removable footrest that moves with the

WARRANTY:

Product shall have a minimum 5 year structural and 5 year pro-rated electronic warranty.

9889 GARRYMORE LANE MISSOULA, MT 59808 (406) 549-0769 FAX (406) 549-2602 www.AquaCreek.com Aqua Creek Products

THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN IS THE SOLE PROPERTY OF AGUA CREEK PRODUCTS LLC. ANY REPRODUCTION IN ART OF AG A WHOLE WITHOUT WEITTEN PERMISSION FROM AQUA CREEK IS PROHIBITED.

PROPRIETY AND CONFIDENTIAL INFORMATION

LIFT PART NUMBERS:

ttem No	Order No	Description
F-ADMRL	INV01513	Admiral Lift White Powder Coat w/Blue Seat
F-ADMRL-T	INV01757	Admiral Lift White Powder Coat w/Tan Seat
F-ADMRL-G	INV01756	Admiral Lift White Powder Coat w/Gray Seat
F-ADMRL-W	INV01755	Admiral Lift White Powder Coat w/White Seat
F-ADMRL-C	INV01907	Admiral Lift (Specify Seat and Powder Coat Colors)

ANCHORING OPTIONS:

tem No	Order No	Description
F-04CAJP	INV01411	Admiral Lift Anchor for Standard Concrete Decks
F-08CAJP	INV01414	Admiral Lift Anchor for Paver Applications
F-046QAB-AT1	INV01406	Admiral Lift Anchor for Standard Concrete Decks with Quick Attach Knobs
F-40220-AT1	INV01444	Admiral Lift Anchor for Wood Deck Applications

PRODUCT OPTIONS:

em No Order No Description 0904CVR INV01990 Admiral Lift Protective Seat Cover in Blue 120PPC INV00525 Admiral Lift Protective Lift Cover in Blue 120PPC-T INV00528 Admiral Lift Protective Lift Cover in Tan 120PPC-G INV00527 Admiral Lift Protective Lift Cover in Gray 0445CH INV01455 Admiral Lift Cover Lift Cover in Gray 422PLH-2 INV01455 Admiral Lift Cover Strap 428HT INV01457 Admiral Lift Transport Cart LRB INV01458 Admiral Lift Pull Out Leg Rest Blue LRF INV01954 Admiral Lift Pull Out Leg Rest Gray LRG INV01953 Admiral Lift Pull Out Leg Rest Write LRW INV01953 Admiral Lift Pull Out Leg Rest Write Admiral Lift Covel Attachment Admiral Lift Covel Covel Attachment			
/R INV01990	Item No	Order No	Description
2-T INVO0528 2-G INVO0527 1 INVO1693 1-2 INVO1455 INVO1457 INVO1952 INVO1952 INVO1954 INVO1953 INVO1953 INVO1953 INVO1953	F-0904CVR	INV01990	Admiral Lift Protective Seat Cover in Blue
T INVO0528 	-120PPC	INV00525	Admiral Lift Protective Lift Cover in Blue
	-120PPC-T	INV00528	Admiral Lift Protective Lift Cover in Tan
14 INV01693 1-2 INV01455 INV01457 INV01422 INV01952 INV01954 INV01953 INV01953	-120PPC-G	INV00527	Admiral Lift Protective Lift Cover in Gray
1.001455 1.001457 1.001458 1.001422 1.001952 1.001954 1.001953 1.001953	-044SCH	INV01693	Admiral Lift Solar Charger
	F-422PLH-2	INV01455	Admiral Lift Adjustable Head Rest
INV01458 INV01422 INV01952 INV01954 INV01953	423CS	INV01457	Admiral Lift Chest Strap
INV01422 INV01952 INV01954 INV01953 INV01379	428HT	INV01458	Admiral Lift Transport Cart
INV01952 INV01954 INV01953 INV01379	-LRB	INV01422	Admiral Lift Pull Out Leg Rest Blue
INV01954 INV01953 INV01379	-LRT	INV01952	Admiral Lift Pull Out Leg Rest Tan
INV01953 INV01379	-LRG	INV01954	Admiral Lift Pull Out Leg Rest Gray
INV01379	-LRW	INV01953	Admiral Lift Pull Out Leg Rest White
	-019CA	INV01379	Admiral Lift Cycle Attachment

Aqua Creek Products LLC 9889 Garrymore Lane Missoula, MT 59808

Tel: 888-687-3552 / 406-549-0769 www.aquacreekproducts.com Fax: 406-541-8958

*SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



ELK GROVE PARK DISTRICT

Elk	Grove Park District
499	Biesterfield Road
Elk	Grove Village, IL 60007

	OVETARRE	JOTAICI		6 10 10
Bill To:	Elk Grove Park D	istrict	Purchase Order Date	01/21/25
· MINOTS ·	499 Biesterfield R Elk Grove Village,		Vendor No.	///
Ship To (check one):	Attn		Vendor/ U(diff
Administration B 499 Biesterfield R Elk Grove Village Jack A. Claes Pay 1000 Wellington A Elk Grove Village Al Hattendorf Cei 225 Elk Grove Blu Elk Grove Village	d , IL 60007 rilion	Fox Run Golf Links 333 Plum Grove Rd. Elk Grove Village, IL 6000 Rainbow Falls Waterpark 200 Rev. Morrison Blvd. Elk Grove Village, IL 6000 Facility Maintenance War 140 Lively Blvd. Elk Grove Village, IL 6000	Contact Person WHITE COPY: YELLOW COPY	Vendor Copy (: Accounts Payable Copy - attach to back of invoice
11.	Description	\	G/L Number	Total
1. Hamiras lit	(3		23-7-0001-74000	120,508.75
2. É Installat	ing			
3.				,
4.			11111	
Department of Labor or as determ and all subcontractors to all labor rates change prior to completion of to laborers, workers and mechani current prevailing wages prior to rate. The prevailing wage rates are the department's website at www.	tined by the court on review ers, workers, and mechanic of the work it is the duty of t as performing work hereund the first day of each month we revised by the Departmen state.il.us/agency/idol. Fur	a Grove Park District or the Illinois shall be paid by the Contractor/Vispers performing work on the project. I he contractor to pay such revised reler. The Contractor is required to and to pay the then-current prevail to Labor (IDOL) and are available ther, the contractor shall provide ciling Wage Act [820 ILCS 130/0.0.	endor if such ates perify ing wage te on ertified	

Purchase Order No. 83046

Project Type (From ab Project (Category (From Above)	Media File #/Name	Project Category Cost	ADA Portion of Project Cates	% ADA Dollars Requested
Routes and Surfaces Platform	ns and lifts	EGPD - Chairlift quote	20508.75	20508.75	100.00%
Routes and Surfaces Platform	ns and lifts	Aquacreek Spec sheet - E	0	0	#DIV/0!
Routes and Surfaces Platform	ns and lifts	Chair lift - Indoor Lap poo	. 0	0	#DIV/0!
Routes and Surfaces Platform	ns and lifts	Chair lift - Outdoor Lap p	0	0	#DIV/0!
Routes and Surfaces Platform	ns and lifts	Chair lift - Warm water T	0	0	#DIV/0!
					#DIV/0!
Total Pro	oject Cost	20508.75			
Total AD	OA Portion of Project Cost	20508.75			
Total %	of ADA Dollars Requested	100.00%			